

PRODUCTION OF THERMAL INSULATION MATERIALS USING GYPSUM AND AGRICULTURAL WASTE

*Phd. Akhmedov Islombek., Prof. S.Kholmirzayev., Sen. Teach. Umarov Isroil.,
Teach. F.Dadaxanov*

Namangan engineering-construction institute,

Abstract. The article deals with the use of agricultural waste as a filler for gypsum thermal insulation materials, the compositions and properties of these materials are considered.

Keywords. Construction, energy efficiency, thermal insulation materials, gypsum, organic fillers, kenafa bonfires, cotton stalks, rice husk and wood chips, compositions, properties, building, thermal.

In Uzbekistan, among the most priority sectors is the construction materials industry, which has a powerful potential and is of great importance for the development of the construction complex. It is appropriate to note that the increase in the efficiency and quality of construction mainly depends on the cost of building materials, which is about 55-65% of the total cost of capital construction and their quality.

Construction as a branch of our republic occupies one of the first places in the use of material resources. The modern scale of construction also poses the task of solving the issues of economical and rational use of resources, first of all, the implementation of existing reserves, i.e. the creation of low-waste and energy-saving technologies using industrial waste. The implementation of these tasks leads, first of all, to the saving of expensive material resources, and secondly, the refusal to import them from other regions.

In modern conditions, it is urgent to find the possibility of using local resources to obtain binders and materials based on them that meet technical requirements and contribute to improving the environmental situation.

To fulfill these tasks, it is necessary to expand the range of building materials by using energy- and resource-saving building materials based on local raw materials and waste from various industries and advanced technologies for their production.

In recent years, a new term has appeared in domestic and foreign literature – energy-efficient (energy-efficient) buildings, that is, buildings, during the design, construction and operation of which all possible measures (energy-saving measures) aimed at saving thermal and electrical energy have been implemented.

Modern buildings have great opportunities to increase their thermal efficiency on the basis of the formation of thermal and air conditions, optimization of heat and mass flows both in rooms and enclosing structures[1]. The main weapon in the struggle for energy conservation and reduction of heat loss is a properly selected thermal insulation material. Thermal insulation material (TIM) is a material designed to reduce heat transfer, the thermal insulation properties of which depend on its chemical composition and physical structure. Thermal insulation materials have a thermal conductivity λ of no more than 0.175 W / (m * S), while 1 m³ of effective TIM allows you to save 1.45 tons of conventional fuel. Highly efficient tims are capable of having a thermal conductivity coefficient $\lambda = 0.06$ or less. Thus, the use of thermal insulation materials in construction pays off on average within 5-15 years. For comparison, a hollow brick will pay off the energy for its production only after 50 years [2,3]. Gypsum slabs are widely used in construction as a thermal insulation material. They are used for plastering walls and ceilings of premises. Thanks to the gypsum solution, good sound and thermal insulation is provided. The use of gypsum in construction can be considered as an independent material and for the manufacture of various gypsum products. These include: drywall, gypsum fiber, gypsum chipboard, groove-ridge slabs. Gypsum is a part of plasters and putties, due to which smooth and smooth coatings are obtained [4]:

As you know, gypsum is widely used in construction. It is mainly used for the production of gypsum and gypsum concrete construction products used for the interior of buildings (thermal insulation boards, dry plaster, partition plates and panels, and a number of others), as well as for the manufacture of lime-gypsum plaster solutions for the interior walls of buildings.

In 2010, according to the USGS, 147 million tons of gypsum were produced in the world. The largest producers are China (47 million tons), Iran (13 million tons), Spain (11.5 million tons), the USA (8.8 million tons), Thailand (8.5 million tons) [5]. Construction gypsum is valued for its properties. The list of its advantages is voluminous [6]:

- The material is environmentally friendly, does not contain toxic substances, does not cause allergic reactions. Contributes to the creation of a favorable indoor climate.
- Buildings using gypsum withstand about 20 cycles of freezing and thawing without losing their strength. In the absence of a humid climate and sudden temperature changes, buildings look decent for a long period of time.
- Due to its low thermal conductivity, gypsum is used in construction as a room insulation.
- The material is not amenable to gorenje. When exposed to temperatures of about 600-700 degrees, moisture begins to be released, slowing down the process of spreading fire.

- Construction gypsum is light due to high strength and low density (1200-1500 kg/m³).
- Gypsum is considered the most affordable raw material. There are no problems with its extraction and processing. Complex and energy-intensive technologies are not used.
- Hygroscopicity of gypsum is able to provide a positive effect on the humidity of the room.

In production conditions, artificial porous fillers - perlite, vermiculite, agliporite, expanded polystyrene, etc. - are used as light fillers to reduce the consumption of gypsum. The use of agricultural waste instead of these fillers is effective both from an economic point of view (to reduce the cost of thermal insulation gypsum) and from an environmental point of view.

At the Namangan Institute of Civil Engineering at the Department of "Production of Building materials, products and structures", research was conducted to study the use of agricultural waste to improve the thermal insulation properties of gypsum.

Special additives - organic fillers - have been added to the composition of gypsum (G-5 grade) in the solution: kenaf bonfires, cotton stalks, rice husks and wood shavings. Kenaf is an annual herbaceous plant. Dry stems contain up to 21% of the fiber used for the manufacture of technical fabrics, and seeds contain up to 20% of technical oil. Kenafa bonfire is a waste of the primary processing of kenafa stems. The stems of the kenaf, before processing to separate the bast fiber from the wood, are subjected to special treatment. A necessary stage of such preparation is soaking kenaf for 20-30 days in natural reservoirs or pits filled with water, or in special pools with hot water. In the process of such processing, water-soluble sugary substances, organic acids and mineral salts are leached from the bonfire.

Cotton belongs to the Malvaceae family. Stems consist mainly of lignified cells of elongated shape. The bast contains the longest and strongest bundles of fibers, but they are closely related to the bark. When the stems are crushed, a large amount of dust and small things (up to 6%) is formed. The average fiber length of cotton stems is 1.0 mm, width is 25 mk. The ratio of length to width is 40. This ratio for spruce and pine with an average fiber length of 3.0 mm is 65 and 55, respectively, for aspen - 35 with a fiber length of 1 mm. Thus, the fibers of cotton stems are, on average, close in size to aspen fiber and are significantly inferior to coniferous wood.

It is known that cotton stems are more flexible and plastic than wood, but less durable. This is due to the fact that cotton is an annual shrub, a significant part of the bast fibers of which do not have time to stiffen. Up to 40% of the stems are bast fibers and bark. This structure of cotton stems leads to difficulties in crushing due to the formation of a large number of individual long fibers that clog knives. Rice husk -

waste from the rice processing industry – is ellipsoid scales from light yellow to yellow in length 6-8 mm, width 3-4 mm and thickness 0.3-0.5 mm. The main components of rice husk as a plant material are cellulose, polysaccharides, hexosanes. Rice husks brought from the Srednechirchik district of the Tashkent region were used for research.

Wood in the Central Asian region is a scarce material for the production of arbolite-like materials. Wood is imported to Uzbekistan mainly from Russia and Kazakhstan. Wood waste in Uzbekistan is generated at woodworking enterprises and workshops for the manufacture of furniture, joinery, construction parts and various blanks. These wastes come in the form of individual pieces of solid wood, as well as machine shavings and sawdust [7]. To determine the thermophysical characteristics of gypsum with crushed organic fillers - kenafa bonfire, cotton stalks, rice husk and wood chips, the method of thermal pulse with a linear heat source was chosen. Gypsum tiles with various fillers (with the same filler content) with a size of 160x160x40 are made. Three samples were prepared for each test. The tests were carried out on dried samples to a constant mass. Prior to that, the samples were solidified under natural conditions. The test results are shown in Table-1.

Table-1. Thermophysical characteristics of gypsum with fillers

№ samples	Name of fillers	Density kg/m ³	Coefficient of thermal conductivity-news, W/mK	Specific heat, kJ/kg K
1	Kenafa Bonfire	435	0.068	0.59
2	Cotton stems	450	0.078	0.71
3	Rice husk	460	0.086	0.82
4	Wood shavings	490	0.095	0.86

As can be seen from Table-1, the lowest thermal conductivity is at the kenaf campfire. Based on the data obtained, it should be noted that the thermal conductivity of the material depends on the density of fillers. In addition, the thermophysical properties of gypsum depend on the filler content in the material. With an increase in the content of organic filler in gypsum, the thermal conductivity of the latter decreases. Studies to determine the biostability of samples have shown that the developed gypsum material belongs to the group of biostable materials and is not biodegradable.

Fire resistance tests of thermal insulation gypsum with organic fillers were carried out on samples with a rib size of 150x60x10mm. The flammability was assessed by the loss of mass of samples over a five-minute fire action. The results showed that the developed thermal insulation gypsum based on agricultural waste belongs to the group of hard-to-burn materials.

Conclusions. The results of the conducted studies have shown that the use of agricultural waste fillers (organic fillers) instead of artificial porous fillers (perlite,

vermiculite, agliporite, expanded polystyrene, etc.): kenafa bonfire, cotton stalks, rice husk and wood chips) made it possible to obtain a thermal insulation material with sufficiently low thermal conductivity and heat capacity, bio-resistant and difficult to burn. The use of agricultural waste is effective both economically (to reduce the cost of thermal insulation gypsum) and from an environmental point of view. This material is recommended to be used in the form of slabs for finishing the interior walls of buildings, in order to provide thermal insulation indoors.

References:

1. Arifjanov, A., Akmalov, S., Akhmedov, I., & Atakulov, D. (2019, December). Evaluation of deformation procedure in waterbed of rivers. In *IOP Conference Series: Earth and Environmental Science* (Vol. 403, No. 1, p. 012155). IOP Publishing.
2. Ахмедов, И. Ғ., Ортиқов, И. А., & Умаров, И. И. (2021). Дарё үзанидаги деформацион жараёнлаарни баҳолашда инновацион технологиялар [Innovative technologies in the assessment of deformation processes in the riverbed]. *Фарғона политехника институти илмий-техника журнали.—Фарғона*, 25(1), 139-142.
3. Abduraimova, D., Rakhmonov, R., Akhmedov, I., Xoshimov, S., & Eshmatova, B. (2022, June). Efficiency of use of resource-saving technology in reducing irrigation erosion. In *AIP Conference Proceedings* (Vol. 2432, No. 1). AIP Publishing.
4. Арифжанов, А. М., Самиев, Л. Н., Абдураимова, Д. А., & Ахмедов, И. Г. (2013). Ирригационное значение речных наносов. *Актуальные проблемы гуманитарных и естественных наук*, (6), 357-360.
5. Tadjiboyev, S., Qurbanov, X., Akhmedov, I., Voxidova, U., Babajanov, F., Tursunova, E., & Xodjakulova, D. (2022, June). Selection of electric motors power for lifting a flat survey in hydraulic structures. In *AIP Conference Proceedings* (Vol. 2432, No. 1). AIP Publishing.
6. Akhmedov, I., Khamidov, A., Kholmirzayev, S., Umarov, I., Dedakhanov, F., & Hakimov, S. (2022). ASSESSMENT OF THE EFFECT OF SEDIBLES FROM SOKHSOY RIVER TO KOKAND HYDROELECTRIC STATION. *Science and innovation*, 1(A8), 1086-1092.
7. Kholmirzayev, S., Akhmedov, I., Khamidov, A., Umarov, I., Dedakhanov, F., & Hakimov, S. (2022). USE OF SULFUR CONCRETE IN REINFORCED CONCRETE STRUCTURES. *Science and innovation*, 1(A8), 985-990.
8. Arifjanov, A. (2021). Innovative technologies in the assessment of accumulation and erosion processes in the channels. *Turkish Journal of Computer and Mathematics Education (TURCOMAT)*, 12(4), 110-114.

9. Нуридинов, А. О., Ахмедов, И., & Хамидов, А. И. (2022). АВТОМОБИЛ ЙЎЛЛАРИНИ ҚУРИЛИШИДА ИННОВАЦИЯЛАР. *Academic research in educational sciences*, 3(TSTU Conference 1), 211-215.
10. Хамидов, А. И., Ахмедов, И. Г., Мухитдинов, М. Б., & Кузибаев, Ш. (2022). Применение теплоизоляционного композиционного гипса для энергоэффективного строительства.
11. Хамидов, А. И., Ахмедов, И., & Кузибаев, Ш. (2020). ТЕПЛОИЗОЛЯЦИОННЫЕ МАТЕРИАЛЫ НА ОСНОВЕ ГИПСА И ОТХОДОВ СЕЛЬСКОГО ХОЗЯЙСТВА.
12. Fathulloev, A. M., Eshev, S. S., Samiev, L. N., Ahmedov, I. G., Jumaboyev, X., & Arifjanov, S. (2019). Boglanmagan gruntlardan tashkil topgan uzanlarda yuvilmaslik tezliklarini aniklash [To the determination of non-effective speed in the beds containing from unconnected soils]. *Journal "Irrigatsiya va melioratsiya". Tashkent*, 27-32.
13. Axmedov, I., Muxitdinov, M., Umarov, I., & Ibragimova, Z. (2020). Assessment of the effect of sedibles from sokhsoy river to kokand hydroelectric power station. *InterConf*.
14. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Хакимов, С., & Умаров, И. (2022). ВЛИЯНИЯ ТЕМПЕРАТУРНО-ВЛАЖНОСТНОГО РЕЖИМА НА ВОДОПОГЛОЩЕНИЕ ЛЕГКИХ БЕТОНОВ НА ПОРЫСТЫХ ЗАПОЛНИТЕЛЯХ. *Journal of new century innovations*, 19(8), 192-201.
15. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Хакимов, С., & Умаров, И. (2022). ЖАҲОНДА КИЧИК ГЭСЛАРНИ РИВОЖЛАНТИРИШНИНГ ҲОЗИРГИ ЗАМОН АНЪАНАЛАРИ. *Journal of new century innovations*, 19(8), 110-119.
16. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Умаров, И., & Хакимов, С. (2022). ПЕРСПЕКТИВЫ РАЗВИТИЯ ЖЕЛЕЗОБЕТОННЫХ КОНСТРУКЦИЙ В УЗБЕКИСТАНЕ. *Journal of new century innovations*, 19(6), 60-70.
17. Холмирзаев, С., Ахмедов, И., Адҳамжон, Ҳ., Ризаев, Б., Умаров, И., & Хакимов, С. (2022). ҚУРУҚ ИССИҚ ИҶЛИМЛИ ШАРОИТЛАРДА ҚУРИЛГАН ВА ФОЙДАЛАНАЁТИЛГАН БЕТОНЛИ ВА ТЕМИР БЕТОН КОНСТРУКЦИЯЛАРНИ ҲОЛАТИ. *Journal of new century innovations*, 19(7), 180-190.
18. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Умаров, И., & Хакимов, С. (2022). ДЕФОРМАТИВНОСТЬ ЖЕЛЕЗОБЕТОННЫХ КОЛОНН ИЗ ТЯЖЕЛОГО БЕТОНА В УСЛОВИЯХ СУХОГО ЖАРКОГО КЛИМАТА. *Journal of new century innovations*, 19(6), 171-182.

19. Bakhodir, R., Islombek, A., Adhamjon, K., Sattor, K., Isroiljon, U., & Sodikjon, K. (2022). CALCULATION OF DEFORMATION CHANGES OF CENTRALLY COMPRESSED REINFORCED CONCRETE COLUMNS IN DRY HOT CLIMATIC CONDITIONS. *Journal of new century innovations*, 19(6), 162-170.
20. Хамидов, А., Ахмедов, И., Холмирзаев, С., Ризаев, Б., Умаров, И., & Хакимов, С. (2022). ИССЛЕДОВАНИЕ СВОЙСТВ БЕТОНОВ НА ОСНОВЕ НЕГОРЮЧИХ ЩЕЛОЧНЫХ ВЯЖУЩИХ КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 123-134.
21. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Умаров, И., & Хакимов, С. (2022). АНАЛИЗ ВЛИЯНИЯ СУХОГО ЖАРКОГО КЛИМАТА НА РАБОТУ ЖЕЛЕЗОБЕТОННЫХ ЭЛЕМЕНТОВ. *Journal of new century innovations*, 19(6), 39-48.
22. Bahodir, R., Islombek, A., Adhamjon, H., Sattor, K., Isroiljon, U., & Sodiqjon, H. (2022). INFLUENCE OF AGGRESSIVE MEDIA ON THE DURABILITY OF LIGHTWEIGHT CONCRETE. *Journal of new century innovations*, 19(6), 318-327.
23. Arifjanov, A., Atakulov, D., Akhmedov, I., & Hoshimov, A. (2022, December). Modern technologies in the study of processes in channels. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1112, No. 1, p. 012137). IOP Publishing.
24. Arifjanov, A., Akmalov, S., Akhmedov, I., & Atakulov, D. Evaluation of deformation procedure in waterbed of rivers.(2019) *IOP Conference Series: Earth and Environmental Science*, 403 (1). DOI: <https://doi.org/10.1088/1755-1315/403/1/012155>.
25. G'ulomjonovich, A. I., Abdurahmonovich, O. I., & Isoqjon o'g'li, U. I. (2021). EFFECTS OF WATER FLOW ON THE EROSION PROCESSES IN THE CHANNEL OF GIS TECHNOLOGY. *Journal of Advanced Scientific Research (ISSN: 0976-9595)*, 1(1).
26. Eshev, S. S., Fatxullaev, A. M., Samiev, L. N., Axmedov, I. G., Jumaboev, X., & Arifjanov, S. (2019). Determination of leaching rates in unconnected soils. *Irrigation and reclamation, Tashkent*, 27-30.
27. Fatkulloev, A. M., Samiev, L. N., Axmedov, I. G., & Jumaboev, X. (2019). To the determination of non-effective speed in the beds containing from unconnected soils. *Journal of Irrigation and Melioration, Tashkent*, 1(15), 27-32.
28. Arifjanov, A. Sh. Akmalov, I. Akhmedov, and D. Atakulov.“. In *Evaluation of deformation procedure in waterbed of rivers.*” In *IOP Conference Series: Earth and Environmental Science* (Vol. 403, No. 1, p. 012155).

- 29.Холмирзаев, С., Аҳмедов, И., Адҳамжон, Ҳ., Ризаев, Б., Феруза, Қ., & Умаров, И. (2022). МОДИФИКАЦИЯЛАНГАН СЕРОБЕТОННИНГ ФИЗИК-МЕХАНИК ХОССАЛАРИНИ ТАДҚИҚ ҚИЛИШ. *Journal of new century innovations*, 19(6), 240-247.
- 30.Умаров, И. И. Ў., & Атакулов, Д. Э. Ў. (2022). Дарё ўзандаги деформацион жараёнларни баҳолашда инновацион технологиялар. *Механика и технология*, (Спецвыпуск 1), 219-225.
- 31.Eshev, S. S., Fatxullaev, A. M., Samiev, L. N., Axmedov, I. G., Jumaboev, X., & Arifjanov, S. (2019). Irrigation and reclamation. *Journal*, 1(15), 27-30.
- 32.Холмирзаев, С., Аҳмедов, И., Адҳамжон, Ҳ., Ризаев, Б., Жалолов, З., & Умаров, И. (2022). ЎЗБЕКИСТОН РЕСПУБЛИКАСИ ҲУДУДИДА МОНОЛИТ ТЕМИР БЕТОН КОНСТРУКЦИЯЛАРИНИ ЎРНИ. *Journal of new century innovations*, 19(6), 265-276.
- 33.Холмирзаев, С., Аҳмедов, И., Адҳамжон, Ҳ., Ризаев, Б., Фаррух, Д., & Умаров, И. (2022). ҚУРИЛИШ ТАЪЛИМ ЙЎНАЛИШЛАРИ УЧУН КАДРЛАР ТАЙЁРЛАШДА ФАН, ТАЪЛИМ ВА ИШЛАБ ЧИҚАРИШ ИНТЕГРАЦИЯСИННИНГ РОЛИ. *Journal of new century innovations*, 19(6), 256-264.
- 34.Ризаев, Б., Аҳмедов, И., Адҳамжон, Ҳ., Холмирзаев, С., Жалолов, З., & Умаров, И. (2022). ЗАМОНАВИЙ ҚУРИЛИШ МАТЕРИАЛЛАРИ ФАНИНИ ЎҚИТИШДАГИ ИЛФОР ТАЪЛИМ МЕТОДЛАРИ. *Journal of new century innovations*, 19(7), 135-146.
- 35.Холмирзаев, С., Аҳмедов, И., Адҳамжон, Ҳ., Ризаев, Б., Жалолов, З., & Умаров, И. (2022). БИНОЛАРНИНГ ТЕМИР БЕТОН КОНСТРУКЦИЯЛАРИНИ ИШОНЧЛИЛИК НАЗАРИЯСИ АСОСИДА ҲИСОБЛАШ. *Journal of new century innovations*, 19(6), 287-297.
- 36.Bahodir, R., Islombek, A., Adhamjon, K., Sattor, K., Farrux, D., & Isroiljon, U. (2022). EFFECTIVENESS OF USING ELEMENTS OF NANOTECHNOLOGY IN CONSTRUCTION MATERIALS SCIENCE. *Journal of new century innovations*, 19(8), 163-172.
- 37.Холмирзаев, С., Аҳмедов, И., Адҳамжон, Ҳ., Ризаев, Б., Жалолов, З., & Умаров, И. (2022). БИНО ВА ИНШООТЛАР ЗИЛЗИЛАБАРДОШЛИГИНИНГ НАЗАРИЙ АСОСЛАРИ. *Journal of new century innovations*, 19(8), 120-130.
- 38.Bahodir, R., Islombek, A., Adhamjon, K., Sattor, K., Feruza, Q., & Isroiljon, U. (2022). NEW INNOVATIVE IDEAS IN THE FIELD OF PRODUCTION OF REINFORCED CONCRETE STRUCTURES. *Journal of new century innovations*, 19(8), 153-162.

39. Bahodir, R., Islombek, A., Adhamjon, K., Sattor, K., Zayniddin, J., & Isroiljon, U. (2022). INFLUENCE OF THE TEMPERATURE AND HUMIDITY REGIME ON THE WATER ABSORPTION OF LIGHT-WEIGHT CONCRETE ON POROUS AGGREGATES. *Journal of new century innovations*, 19(8), 143-152.
40. Bahodir, R., Islombek, A., Adhamjon, K., Sattor, K., Zayniddin, J., & Isroiljon, U. (2022). CALCULATION OF ENERGY CHARACTERISTICS OF SOLAR HEATING SYSTEM. *Journal of new century innovations*, 19(8), 56-65.
41. Ризаев, Б., Ахмедов, И., Холмирзаев, С., Хамидов, А., Кодирова, Ф., & Умаров, И. (2022). ОБЩИЕ СВЕДЕНИЯ О ПРИРОДНОМ КЛИМАТЕ РАЙОНОВ С СУХИМ ЖАРКИМ КЛИМАТОМ. *Journal of new century innovations*, 19(6), 298-306.
42. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Жалалов, З., & Умаров, И. (2022). РАСЧЕТ НА ВХОДНЫЕ И ФОРМАЛЬНЫЕ ДЕФОРМАЦИИ БЕТОНА В ЕСТЕСТВЕННЫХ УСЛОВИЯХ СУХОГО ЖАРКОГО КЛИМАТА. *Journal of new century innovations*, 19(6), 183-193.
43. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Фаррух, Д., & Умаров, И. (2022). ОБЩИЕ СВЕДЕНИЯ О ВЕТРЕ И ПЫЛИ В ЖАРКОМ СУХОМ КЛИМАТЕ. *Journal of new century innovations*, 19(6), 307-317.
44. Ахмедов, И., Ризаев, Б., Адҳамжон, Ҳ., Холмирзаев, С., Феруза, Қ., & Умаров, И. (2022). ТУРАР-ЖОЙ БИНОЛАРИ ҚУРИЛИШИДА МОНОЛИТ ТЕМИР БЕТОНДАН ФОЙДАЛАНИШ САМАРАДОРЛИГИ. *Journal of new century innovations*, 19(6), 215-223.
45. Ahmedov, I., Bahodir, R., Adhamjon, H., Sattor, K., Feruza, Q., & Isroiljan, U. (2022). DISTRIBUTION OF TEMPERATURE AND HUMIDITY IN CONCRETE OVER THE CROSS SECTION OF COLUMNS IN A DRY HOT CLIMATE. *Journal of new century innovations*, 19(7), 123-134.
46. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Феруза, Қ., & Умаров, И. (2022). СОВРЕМЕННЫЕ ТРАДИЦИИ РАЗВИТИЯ МАЛОЙ ГИДРОЭНЕРГЕТИКИ В МИРЕ. *Journal of new century innovations*, 19(8), 90-99.
47. Bahodir, R., Islombek, A., Adhamjon, K., Sattor, K., Zayniddin, J., & Isroiljon, U. (2022). MODERN TRADITIONS OF THE DEVELOPMENT OF SMALL HYDROPOWER IN THE WORLD. *Journal of new century innovations*, 19(8), 100-109.
48. Bahodir, R., Islombek, A., Adxamjon, X., Sattor, X., Feruza, Q., & Isroiljon, U. (2022). TEMIR-BETON KONSTRUKTSIYALAR ISHLAB CHIQARISH SOHASIDAGI YANGI INNOVATSION G'OYALAR. *Journal of new century innovations*, 19(7), 158-167.

49. Bahodir, R., Islombek, A., Adhamjon, H., Sattor, K., Isroiljon, U., & Farruh, D. (2022). CONDITION OF CONCRETE AND REINFORCED CONCRETE STRUCTURES BUILT AND USED IN A DRY HOT CLIMATE. *Journal of new century innovations*, 19(7), 147-157.
50. Холмирзаев, С., Ахмедов, И., Ризаев, Б., Хамидов, А., Кодирова, Ф., & Умаров, И. (2022). ИССЛЕДОВАНИЕ ФИЗИКО-МЕХАНИЧЕСКИХ СВОЙСТВ МОДИФИЦИРОВАННОГО СЕРОБЕТОНА КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 154-161.
51. Хамидов, А., Ахмедов, И., Холмирзаев, С., Ризаев, Б., Умаров, И., & Фаррух, Д. (2022). АНАЛИЗ СПОСОБОВ ПЕРЕРАБОТКИ СЫРЬЯ SERA И ПОЛУЧЕНИЯ СЕРОБЕТОНА КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 93-102.
52. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Феруза, Қ., & Умаров, И. (2022). ИССЛЕДОВАНИЕ ЗОЛОШЛАКОВЫХ СМЕСИ ДЛЯ ПРОИЗВОДСТВА СТРОИТЕЛЬНЫХ МАТЕРИАЛОВ КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 103-112.
53. Хамидов, А., Ахмедов, И., Ризаев, Б., Холмирзаев, С., Жалалов, З., Умаров, И., & Шаропов, Б. (2022). ТЕПЛОИЗОЛЯЦИОННЫЕ МАТЕРИАЛЫ НА ОСНОВЕ ГИПСА И СЕЛЬСКОХОЗЯЙСТВЕННЫХ ОТХОДОВ. КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 135-144.
54. Ахмедов, И., Хамидов, А., Холмирзаев, С., Ризаев, Б., Умаров, И., & Фаррух, Д. (2022). ОЦЕНКА ВЛИЯНИЯ СЕДИБЛЕИ РЕКИ СОХСОЙ НА КОКАНДСКУЮ ГЭС. *Journal of new century innovations*, 19(6), 145-153.
55. Холмирзаев, С., Ахмедов, И., Хамидов, А., Кодирова, Ф., Умаров, И., & Фаррух, Д. (2022). РАСЧЕТ ЖЕЛЕЗОБЕТОННЫХ КОНСТРУКЦИЙ ЗДАНИЙ НА ОСНОВЕ ТЕОРИИ НАДЕЖНОСТИ. *Journal of new century innovations*, 19(6), 29-38.
56. Хамидов, А., Ахмедов, И., Ризаев, Б., Холмирзаев, С., Жалалов, З., & Умаров, И. (2022). ҚУРУҚ ИССИҚ ИКЛИМЛИ ҲУДУДЛАРНИНГ ТАБИЙ ИКЛИМИ ҲАҚИДА УМУМИЙ МАЪЛУМОТ. *Journal of new century innovations*, 19(6), 194-203.
57. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Фаррух, Д., & Умаров, И. (2022). БИНОЛАРНИ ИСИТИШДА ҚҮЁШ ЭНЕРГИЯСИДАН ФОЙДАЛАНИБ ЭНЕРГИЯ САМАРАДОРЛИКНИ ОШИРИШ ТАДБИРЛАРИ. *Journal of new century innovations*, 19(8), 78-89.
58. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Фаррух, Д., & Умаров, И. (2022). ҚҮЁШЛИ ИСИТИШ ТИЗИМИНИНГ ЭНЕРГЕТИК ХАРАКТЕРИСТИКАЛАРИ ХИСОБИ. *Journal of new century innovations*, 19(8), 25-36.

59. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Умаров, И., & Фаррух, Д. (2022). ЭФФЕКТИВНОСТЬ ИСПОЛЬЗОВАНИЯ МОНОЛИТНОГО ЖЕЛЕЗОБЕТОНА ПРИ СТРОИТЕЛЬСТВЕ ЖИЛЫЕ ДОМА. *Journal of new century innovations*, 19(6), 71-80.
60. Bahodir, R., Islombek, A., Sattor, X., Adxamjon, X., Feruza, Q., & Isroiljon, U. (2022). QURILISH MATERIALSHUNOSLIGIDA NANOTEXNOLOGIYA ELEMENTLARIDAN FOYDALANISH SAMARADORLIGI. *Journal of new century innovations*, 19(7), 168-179.
61. Холмирзаев, С., Ахмедов, И., Хамидов, А., Ризаев, Б., Жалалов, З., & Умаров, И. (2022). ПРИМЕНЕНИЕ МОНОЛИТНЫХ ЖЕЛЕЗОБЕТОННЫХ КОНСТРУКЦИЙ НА ТЕРРИТОРИИ РЕСПУБЛИКИ УЗБЕКИСТАН КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 81-92.
62. Холмирзаев, С., Ахмедов, И., Ризаев, Б., Хамидов, А., Фаррух, Д., & Умаров, И. (2022). ПРИМЕНЕНИЕ СЕРОБЕТОНА В ЖЕЛЕЗОБЕТОННЫХ КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 3-11.
63. Умаров, И. И. Ў. (2022). Тоғ олди дарёлар ўзанидаги жараёнларни баҳолашда табиий дала тадқиқотлари таҳлили. *Строительство и образование*, (2), 109-113.
64. Kholmirzayev, S., Akhmedov, I., Khamidov, A., Yusupov, S., Umarov, I., & Hakimov, S. (2022). ANALYSIS OF THE EFFECT OF DRY HOT CLIMATE ON THE WORK OF REINFORCED CONCRETE ELEMENTS. *Science and innovation*, 1(A8), 1033-1039.
65. Akhmedov, I., Khamidov, A., Kholmirzayev, S., Yusupov, S., & Umarov, I. (2022). Improving river sediment distribution calculation in mountain rivers. *Science and innovation*, 1(A8), 1014-1019.
66. Khamidov, A., Akhmedov, I., Kholmirzayev, S., Jalalov, Z., Yusupov, S., & Umarov, I. (2022). EFFECTIVENESS OF MODERN METHODS OF TESTING BUILDING STRUCTURES. *Science and innovation*, 1(A8), 1046-1051.
67. Kholmirzayev, S., Akhmedov, I., Khamidov, A., Jalalov, Z., Yusupov, S., & Umarov, I. (2022). THE ROLE OF THE INTEGRATION OF SCIENCE, EDUCATION AND PRODUCTION IN THE TRAINING OF PERSONNEL FOR CONSTRUCTION EDUCATIONAL AREAS. *Science and innovation*, 1(A8), 1040-1045.
68. Хамидов, А. И., Ахмедов, И., Юсупов, Ш., & Кузибаев, Ш. (2021). Использование теплоизоляционного композиционного гипса в энергоэффективном строительстве.
69. Холмирзаев, С., Ахмедов, И., Адҳамжон, Ҳ., Ризаев, Б., Юсупов, Ш., & Умаров, И. (2022). СЕРА ХОМ АШЁСИНИ ҚАЙТА ИШЛАШ ВА

- СЕРОБЕТОН ТАЙЁРЛАШ УСУЛЛАРИНИНГ ТАҲЛИЛИ. *Journal of new century innovations*, 19(6), 248-255.
- 70.Холмирзаев, С., Аҳмедов, И., Адҳамжон, Ҳ., Ризаев, Б., Юсупов, Ш., & Умаров, И. (2022). ТЕМИР БЕТОН ЭЛЕМЕНТЛАРНИНГ ДАРЗБАРДОШЛИГИГА МАРКАЗИЙ ОСИЁ ИҚЛИМИНИНГ ТАЪСИРИ. *Journal of new century innovations*, 19(6), 232-239.
- 71.Холмирзаев, С., Аҳмедов, И., Адҳамжон, Ҳ., Ризаев, Б., Юсупов, Ш., & Умаров, И. (2022). ТУРАР-ЖОЙ БИНОЛАРИ ҚУРИЛИШИДА МОНОЛИТ ТЕМИР БЕТОНДАН ФОЙДАЛАНИШ САМАРАДОРЛИГИ. *Journal of new century innovations*, 19(6), 277-286.
- 72.Ризаев, Б., Аҳмедов, И., Хамидов, А., Холмирзаев, С., Юсупов, Ш., & Умаров, И. (2022). МЕРЫ ПО ПОВЫШЕНИЮ ЭНЕРГОЭФФЕКТИВНОСТИ ИСПОЛЬЗОВАНИЯ СОЛНЕЧНОЙ ЭНЕРГИИ В ОТОПЛЕНИИ ЗДАНИЙ. *Journal of new century innovations*, 19(8), 66-77.
- 73.Ризаев, Б., Аҳмедов, И., Хамидов, А., Холмирзаев, С., Юсупов, Ш., & Умаров, И. (2022). ҚУЁШ ЭНЕРГИЯСИДАН ФОЙДАЛАНИБ БИНОЛАРНИ ЭНЕРГИЯ САМАРАДОРЛИГИНИ ОШИРИШ ТАДБИРЛАРИ ХАКИДА. *Journal of new century innovations*, 19(8), 173-186.
- 74.Ahmedov, I., Bahodir, R., Adhamjon, H., Sattor, K., Shavkat, Y., & Isroiljan, U. (2022). PHYSICAL AND MECHANICAL PROPERTIES OF CONCRETE UNDER CONDITIONS OF DRY HOT CLIMATE. *Journal of new century innovations*, 19(8), 131-142.
- 75.Холмирзаев, С., Аҳмедов, И., Ризаев, Б., Юсупов, Ш., Умаров, И., & Фаррух, Д. (2022). РОЛЬ ИНТЕГРАЦИИ НАУКИ, ОБРАЗОВАНИЯ И РАЗВИТИЯ В ПОДГОТОВКЕ КАДРОВ ДЛЯ СТРОИТЕЛЬСТВА. *Journal of new century innovations*, 19(6), 12-19.
- 76.Хамидов, А., Аҳмедов, И., Холмирзаев, С., Ризаев, Б., Юсупов, Ш., & Умаров, И. (2022). ЭФФЕКТИВНОСТЬ СОВРЕМЕННЫХ МЕТОДОВ ИСПЫТАНИЙ СТРОИТЕЛЬНЫХ КОНСТРУКЦИЙ. *Journal of new century innovations*, 19(6), 57-59.
- 77.Холмирзаев, С., Аҳмедов, И., Ризаев, Б., Хамидов, А., & Юсупов, Ш. (2022). РОЛЬ ИНТЕГРАЦИИ НАУКИ, ОБРАЗОВАНИЯ И ПРОИЗВОДСТВА В ПОДГОТОВКЕ КАДРОВ ДЛЯ СТРОИТЕЛЬНЫХ ОБРАЗОВАТЕЛЬНЫХ НАПРАВЛЕНИЙ. *Journal of new century innovations*, 19(6), 49-57.
- 78.Аҳмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Юсупов, Ш., & Умаров, И. (2022). ПРИМЕНЕНИЕ ТЕПЛОИЗОЛЯЦИОННОГО КОМПОЗИТА ГИПСОВОГО ДЛЯ ЭНЕРГОЭФФЕКТИВНОГО

- СТРОИТЕЛЬСТВА КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 113-122.
79. Ахмедов, И., Хамидов, А., Холмирзаев, С., Юсупов, Ш., Кодирова, Ф., & Умаров, И. (2022). СОВЕРШЕНСТВОВАНИЕ РАСЧЕТА РАСПРЕДЕЛЕНИЯ НАСАДОВ В ГОРНЫХ РЕКАХ. *Journal of new century innovations*, 19(6), 20-28.
80. Sattor, X., Islombok, A., Adhamjon, H., Bahodir, R., Shavkat, Y., & Isroiljon, U. (2022). TEMIR-BETON KONSTRUKSİYALARIDA SERABETONDAN FOYDALANISH. *Journal of new century innovations*, 19(6), 224-231.
81. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Юсупов, Ш., & Умаров, И. (2022). РАСЧЕТ ЭНЕРГЕТИЧЕСКИХ ХАРАКТЕРИСТИК СИСТЕМЫ СОЛНЕЧНОГО ОТОПЛЕНИЯ. *Journal of new century innovations*, 19(8), 45-55.
82. Umarov, I. I. (2023). INSULATION COMPOSITE PLASTER FOR ENERGY-SAVING CONSTRUCTION. *Journal of new century innovations*, 43(1), 281-293.
83. Мухитдинов, М. Б. (2023). ТҮЛДИРУВЧИЛАРНИНГ КОМПОЗИТ ПОЛИМЕР ҚОПЛАМАЛАРНИНГ ЕЙИЛИШБАРДОШЛИГИ ВА АДГЕЗИОН ХОССАЛАРИГА ТАЪСИРИ. *Journal of new century innovations*, 43(1), 180-191.
84. Мухитдинов, М. Б. (2023). КУРИЛИШ МАТЕРИАЛЛАРИ ВА БЮОМЛАРИ ФАНИНИ ЯНГИ ПЕДАГОГИК ТЕХНОЛОГИЯЛАР АСОСИДА ЎҚИТИШ. *Journal of new century innovations*, 43(1), 166-179.
85. Шаропов, Б. Х., & Раҳматиллаев, Ё. Н. (2023). ҚҮЁШЛИ ИСИТИШ ТИЗИМИНИНГ ЭНЕРГЕТИК ХАРАКТЕРИСТИКАЛАРИ ХИСОБИ. *Journal of new century innovations*, 43(1), 192-204.
86. Umarov, I. I., & Nuritdinov, J. D. (2023). INCREASING THE RESISTANCE OF TEMPERATURE EFFECTS OF SULFUR-BASED CONCRETES. *Journal of new century innovations*, 43(1), 87-96.
87. Ахмедов, И., Умаров, И., & Нуритдинов, Ж. (2023). ЁФОЧ МАТЕРИАЛЛАРИНИ ЁНФИНБАРДОШЛИК ДАРАЖАСИНИ АНТИПИРЕНЛАР ЁРДАМИДА ОШИРИШ. *Journal of new century innovations*, 43(1), 255-268.
88. Ахмедов, И. Ў., Умаров, И. И., & Даҳаҳанов, Ф. А. (2023). ПРИНЦИПЫ ВЫБОРА ГАЗООЧИСТНОГО ОБОРУДОВАНИЯ. *Journal of new century innovations*, 43(1), 153-165.
89. Umarov, I. I. (2023). THE USE OF SLAG MIXTURES FOR THE MANUFACTURE OF BUILDING MATERIALS. *Journal of new century innovations*, 43(1), 269-280.

90. Ахмедов, И. Ф., Умаров, И. И., & Дадаханов, Ф. А. (2023). ВЫБОР ЭФФЕКТИВНЫХ МЕТОДОВ И ОБОРУДОВАНИЯ ДЛЯ СУШКИ СЫПУЧИХ СТРОИТЕЛЬНЫХ МАТЕРИАЛОВ. *Journal of new century innovations*, 43(1), 140-152.
91. Umarov, I. I. (2023). STUDY OF THE PROPERTIES OF CONCRETE BASED ON ALKALINE BINDERS. *Journal of new century innovations*, 43(1), 51-64.
92. Umarov, I. I., & Sharopov, B. X. (2023). XORIJ VA RESPUBLIKAMIZ BINOLARIDA ENERGIYADAN SAMARALI FOYDALANISH USULLARINING TAHLILI. *Journal of new century innovations*, 43(1), 219-229.
93. Umarov, I. I. (2023). THE USE OF SULFUR CONCRETE IN REINFORCED CONCRETE STRUCTURES. *Journal of new century innovations*, 43(1), 65-75.
94. Umarov, I. I., & Sharopov, B. X. (2023). JAMOAT BINOLARINI ISITISHDA QUYOSH ENERGIYASIDAN FOYDALANISHNING SAMARADORLIGI. *Journal of new century innovations*, 43(1), 242-254.
95. Umarov, I. I., & Nuritdinov, D. (2023). SUPERPLASTIFIKATOR QO'SHILGAN GIPSOBETONNING FIZIK-MEXANIK XOSSALARI. *Journal of new century innovations*, 43(1), 76-86.
96. Мурадов, Х. Х. (2023). МАҲАЛЛИЙ ХОМ-АШЁ ЛОГОН БЕНТОНИТ ГИЛИНИНГ ФИЛЬТРАЦИЯ КОЭФФИЦИЕНТИНИ АНИҚЛАШ. *Journal of new century innovations*, 43(1), 97-106.
97. Мурадов, Х. Х. (2023). ФАРГОНА ВИЛОЯТИ ЛОГОН БЕНТОНИТ ГИЛИНИНГ ХУСУСИЯТЛАРИ БЎЙИЧА ФОЙДАЛАНИШ САМАРАДОРЛИГИ. *Journal of new century innovations*, 43(1), 107-118.
98. Хамидов, А., Ахмедов, И., & Шаропов, Б. Х. (2023). ИССЛЕДОВАНИЯ ЗОЛО-ШЛАКОВЫХ СМЕСЕЙ ДЛЯ ПРОИЗВОДСТВА СТРОИТЕЛЬНЫХ МАТЕРИАЛОВ. *Journal of new century innovations*, 43(1), 230-241.
99. Yosunbek Ne'matilla o'g, R. (2023). TURAR JOY BINOLARIDA QO'LLANILADIGAN ISSIQLIK TA'MINOTI TIZMLARINING HOZIRGI KUNDAGI TAHLILI. *Journal of new century innovations*, 43(1), 119-128.
100. Yosunbek Ne'matilla o'g, R. (2023). ANALYSIS OF GROUNDWATER SOFTENING METHODS. *Journal of new century innovations*, 43(1), 129-139.
101. Хакимов, С. (2023). ПОВТОРНОЕ ИСПОЛЬЗОВАНИЕ ВОДЫ В АВТОМОЙКАХ ПУТИ МАРШРУТИЗАЦИИ. *TECHника*, (1 (10)), 1-5.
102. Khamidov, A., & Khakimov, S. (2023). MOISTURE LOSS FROM FRESHLY LAID CONCRETE DEPENDING ON THE TEMPERATURE AND HUMIDITY OF THE ENVIRONMENT. *Science and innovation*, 2(A4), 274-279.

103. Khamidov, A. I., & Khakimov, S. (2023). Study of the Properties of Concrete Based on Non-Fired Alkaline Binders. *European Journal of Geography, Regional Planning and Development*, 1(1), 33-39.
104. Rasuljon o'gli, K. S. (2023). The Importance of Didactics in Pedagogy and Stages of The Didactic Process. *Journal of Innovation in Education and Social Research*, 1(4), 1-6.
105. Muxitdinov, M. (2022). АНАЛИЗ ЭФФЕКТИВНОСТИ ИСПОЛЬЗОВАНИЯ ПОРЫСТЫХ ЗАПОЛНИТЕЛЕЙ ДЛЯ ЛЁГКИХ БЕТОНОВ. "Экономика и социум".
106. Ризаев, Б. Ш., & Мухитдинов, М. Б. (2023). ИЗУЧЕНИЕ ВЛИЯНИЯ КЛИМАТИЧЕСКИХ УСЛОВИЙ НАШЕЙ РЕСПУБЛИКИ НА РАБОТУ ЖЕЛЕЗОБЕТОННЫХ ЭЛЕМЕНТОВ. *Scientific Impulse*, 1(9), 186-195
107. Abdunazarov, A., & Soliev, N. (2020). STUDY OF THE PERFORMANCE OF FRAMELESS CONSTRUCTION STRUCTURES UNDER THE INFLUENCE OF VERTICAL STRESSES OF ULTRA-SUBMERGED THE LYOSS SOILS. *Студенческий вестник*, 28(126 часть 3), 39.
108. Khakimov, S. R., & Sharopov, B. K. (2023). Educational Quality Improvement Events Based on Exhibition Materials in Practical Training Lessons. *American Journal of Language, Literacy and Learning in STEM Education*, 1(2), 5-10
109. Abdunazarov, A. (2022). AVTOMOBILLAR HARAKATIDAN HOSIL BO'LADIGAN TEBRANISHLARNI BINOGA TA'SIRINI ANIQLASH VA KAMAYTIRISH CHORALARINI TAKOMILLASHTIRISH BO'YICHA TAHLILLAR. *Science and innovation*, 1(A5), 372-375.
110. Шаропов Б.Х., Хакимов С.Р., Раҳимова С. Оптимизация режимов гелиотеплохимической обработки золоцементных композиций. //Матрица научного познания. – 2021 г. №12-1. С.115-123
111. Хакимов С., Шаропов Б., Абдуназаров А. Бино ва иншоотларнинг сейсмик мустаҳкамлиги бўйича хорижий давлатлар (россия, япония, хитой, ақш) меъёрий хужжатлари таҳлили //barqarorlik va yetakchi tadqiqotlar onlayn ilmiy jurnali. – 2022. – С. 806-809
112. Muxitdinov, M. (2022). ИССЛЕДОВАНИЕ ВЛИЯНИЯ РЕЖИМОВ ЭКСПЛУАТАЦИИ МЕТАЛЛИЧЕСКОЙ ОСНАСТКИ НА ИЗНОСОСТОЙКОСТЬ КОМПОЗИЦИОННЫХ ПОЛИМЕРНЫХ МАТЕРИАЛОВ. *UNIVERSUM: ТЕХНИЧЕСКИЕ НАУКИ*.
113. Shamsitdinovich, R. B., & Bakhtiyorovich, M. M. (2023). Air Temperature and Humidity in Experimental Testingof Building Materials Used in the Climate of the Republic of Uzbekistan. *Web of Synergy: International Interdisciplinary Research Journal*, 2(4), 591-598.

114. O'G'Li, A. A. S. (2023). Avtomobil yo'llaridagi lyossimon gruntlarning suv shimgan holida deformatsiyalanishi va seysmik to 'qinlarni tarqalishini tahlil qilish. *Строительство и образование*, 1(3), 60-65.
115. Abdunazarov, A. (2022). BO'LADIGAN TEBRANISHLARNI BINOGA TA'SIRINI ANIQLASH VA KAMAYTIRISH CHORALARINI TAKOMILLASHTIRISH. *Science and innovation*, 1(A5), 380-384.
116. Abdunazarov, A. S. (2022). AVTOMOBILLAR XARAKATIDAN HOSIL BO 'LGAN TEBRANISHLARNI KO 'P JINSLI GRUNTLarda TARQALISH JARAYONIGA OID TADQIQOTLAR TAHLILI. *Scienceweb academic papers collection*.
117. Abdunazarov, A. (2022). AVTOMOBILLAR HARAKATIDAN HOSIL BO'LADIGAN TEBRANISHLARNI BINOGA TA'SIRINI ANIQLASH VA KAMAYTIRISH CHORALARINI TAKOMILLASHTIRISH BO'YICHA TAHLILLAR. *Science and innovation*, 1(A5), 372-375.
118. Abdunazarov, A. (2022). MAHALLIY HOM ASHYO TURI (QAMISH) DAN FOYDALANGAN HOLDA AVTOMOBILLAR HARAKATIDAN HOSIL BO'LADIGAN TEBRANISHLARNI BINOGA TA'SIRINI ANIQLASH VA KAMAYTIRISH CHORALARINI TAKOMILLASHTIRISH. *Science and innovation*, 1(A5), 380-385.
119. Muxitdinov, M. (2017). Future of using natural basalt stone in architecture. *Role of the using innovative teaching methods to improve the efficiency of education*. Россия. Г. Москва-2017.
120. Худайкулов С. И., Нишонов Ф. Х. Математические модели гидравлического удара в гидросооружениях и производственных комплексах. Издательство «Навруз //Тошкент-2017. Монография. – 2017.
121. Усмонова, Н. А., Негматуллоев, З. Т., Нишонов, Ф. Х., & Усмонов, А. А. (2019). Модели закрученных потоков в строительстве Каркидонского водохранилища. *Достижения науки и образования*, (12 (53)), 5-9.
122. Khudaykulov, S. I., Yakhshibaev, D. S., Usmonov, A. H., & Nishonov, K. (2019, November). Change in concentration of collector waters along the flow length taking into account the difference in densities. In *International Conference on Information Science and Communications Technologies (ICISCT)*.
123. Нишонов, Ф. Х. (2016). Способы понижения возникновений кавитации и гидравлического удара в гидротехнических сооружениях. *Пути повышения эффективности орошаемого земледелия* Научно-практический журнал Выпуск, 2016(4), 200.
124. Нишонов Ф. Х., Тулкинова А. М. Моделирование Течение Жидкости С Образованием И Распространением Волн //Central Asian Journal of Theoretical and Applied Science. – 2022. – Т. 3. – №. 10. – С. 223-228.

125. Khudaykulov, S. I., Kh, N. F., Sh, Z., & Madiyorova, M. (2021, June). SIMULATION OF FLOW OF A LIQUID WITH FORMATION AND PROPAGATION OF WAVES. In *Archive of Conferences* (pp. 165-170).
126. Abdullaev, B. H., Khudaykulov, S. I., Sadiqkova, U. A., & Nishonov, F. N. (2019). THE DOUBLE LAYER THICKNESS OF WATER-BEARING ROCKS UNDER RAPID CHANGE IN PERMEABILITY AND PRESENCE OF VERTICAL WATEREXCHANGE BETWEEN LAYERS. *Scientific-technical journal*, 23(4), 106-111.
127. Nishonov, F. X., & Xadaykulov, S. I. (2018). MODELING OF THE HYDRAULIC BLOW IN BUILDING COMPLEX. *Scientific-technical journal*, 1(2), 65-68.
128. Нишонов, Ф. Х. (2017). МОДЕЛИРОВАНИЕ ДВИЖЕНИЯ ЖИДКОСТИ, ПРИВОДЯЩЕГО К ГИДРАВЛИЧЕСКОМУ УДАРУ В ТРУБОПРОВОДАХ И ТУРБИНАХ ГИДРОТЕХНИЧЕСКИХ СООРУЖЕНИЙ. *Если*, 2, 1.
129. Нишонов, Ф. Х. (2016). МОДЕЛИРОВАНИЕ ГИДРАВЛИЧЕСКОГО УДАРА ПРИ ВНЕЗАПНОЙ ОСТАНОВКЕ НАСОСА В ГИДРОТЕХНИЧЕСКИХ СООРУЖЕНИЯХ. *Пути повышения эффективности орошаемого земледелия*, (4), 196-200.