

INSULATION COMPOSITE PLASTER FOR ENERGY-SAVING CONSTRUCTION

dots.I.G'.Ahmedov, cen teach. I.I.Umarov (NamECI).

Abstract. The article deals with the use of finishing slabs from gypsum heat-insulating composite materials based on industrial waste in energy-efficient construction, the compositions and properties of these materials are considered.

Keywords. Construction, energy efficiency, finishing boards, thermal insulation materials, gypsum, travertine, properties.

On May 23. 2019 the Decree of the President of the Republic of Uzbekistan “On additional measures for the accelerated development of the building materials industry” was adopted [1]. The Decree set the task of creating favorable conditions for the accelerated development and diversification of the industry, attracting investment in the processing of local mineral raw materials and increasing the export of building materials.

Construction, as a priority sector of Uzbekistan, occupies one of the first places in terms of the use of material resources. The modern scale of construction sets the task of solving the issues of economical and rational use of resources, first of all, the implementation of existing reserves, i.e. creation of low-waste and energy-saving technologies using industrial waste. The implementation of these tasks leads, first of all, to the saving of expensive material resources, and secondly, to the refusal to import them from other regions. Thus, according to the Uzpromstroymaterialy association, for 9 months of 2021, the volume of imports of various building materials amounted to 249 million US dollars [2].

In this regard, in modern conditions, it is relevant to find the possibility of using local resources to obtain imported materials that meet technical requirements and contribute to improving the environmental situation. To accomplish these tasks, it is necessary to expand the range of building materials by using energy- and resource-saving building materials based on local raw materials and waste from various industries and advanced technologies for their production.

Modern buildings have great opportunities to improve their thermal efficiency based on the formation of thermal and air conditions, optimization of heat and mass flows both in the premises and in the enclosing structures [3]. Energy efficient construction is gaining more and more development every year. The main weapon in the fight for energy saving and reduction of heat loss is the right heat-insulating material. Therefore, the role of thermal insulation materials in ensuring the energy efficiency of buildings is great. The use of heat-insulating materials allows reducing

the thickness and weight of walls and enclosing structures and reducing the main building materials (cement, metal, brick).

Reducing the weight of the structure is especially relevant in seismic areas, as it reduces seismic loads associated with the weight of buildings. When choosing effective heat-insulating materials, it is necessary to take into account their heat-insulating properties, technological features, environmental safety, cost, the volume of their production in the country, and other factors [4]. Therefore, when choosing effective heat-insulating materials, an integrated approach is required, taking into account their social, economic and environmental significance.

In this regard, it is very important to study effective thermal insulation materials (especially with the use of local raw materials and waste) to ensure the energy efficiency of buildings. As you know, gypsum tiles are widely used in construction as a heat-insulating material. They are used for plastering walls and ceilings of rooms. Thanks to the gypsum mortar, good sound and heat insulation is provided. Gypsum is mainly used for the production of gypsum and gypsum concrete building products used for the interior of buildings (thermal insulation boards, dry plaster, partition boards and panels, and a number of others), as well as for the manufacture of lime-gypsum plaster mortars for the interior walls of buildings [5].

In production conditions, to reduce the consumption of gypsum, artificial porous fillers are used as light fillers - perlite, vermiculite, agloporite, expanded polystyrene, etc. [6]. To replace artificial porous fillers (relatively expensive) in the composition of gypsum (grade G-5), waste from the production of travertine slabs was added to the solution. Travertine is a fairly soft material, it is easily amenable to various types of processing. Thanks to these properties of the mineral, products of high geometric accuracy are made from it - for example, tiles that can be laid with virtually no seams. This stone has good resistance to low temperatures. Therefore, it can be safely used in various climatic conditions for finishing facades and interiors of buildings. In addition, travertine is an environmentally friendly material.



Travertine is one of the most popular decorative materials, which is widely used for both interior and exterior decoration. Underground storerooms of the mineral are dispersed throughout the world. It is mined in Germany, Iran, Mexico, Greece, Portugal, the USA, and other countries. Turkey is a major importer. The oldest deposits in Italy are still rich [7]. Travertine deposits are known in the CIS countries: Azerbaijan, Armenia, Russia, Ukraine, Uzbekistan (Namangan region), Kyrgyzstan, Tajikistan, and others [8].

In the process of crushing rocks, grains with a size of 0-5 mm are formed. This material is called crush screening. As a rule, crushing screenings are not the main purpose, but waste from the main production for the extraction of building materials. Rock crushing screenings are accumulated in large volumes, which entails direct

economic and environmental losses. Crushing screenings are characterized by a rather high content (up to 25%) of dust-like particles, the size of which does not exceed 0.16 mm. The most common are screenings of soft rocks - limestone, shell rock, dolomite, marble and travertine.

In Uzbekistan, travertine tiles are widely used for finishing buildings. In the manufacture of slabs and in the extraction of travertine, a large amount of waste is generated. At the Department of Building Materials and Products of the Namangan Civil Engineering Institute, research was conducted to study the issue of using waste from the production of slabs and screenings from travertine mining to reduce the consumption of gypsum, improve its thermal insulation and strength properties and obtain a finishing slab on their basis. When travertine waste with a high content of dust particles is added to the gypsum mortar, their water demand increases. It is known that superplasticizers should reduce the water demand of gypsum systems and increase the strength of the mixture. Theoretical and practical studies have been carried out to study the effect of additives (especially plasticizers from local raw materials) on the water demand of gypsum. To reduce water demand and improve the plastic properties of composite gypsum, the most effective, according to research results, was the superplasticizer Dzhililova-SJ-3 [9]. To determine the thermophysical characteristics of the finishing slab, gypsum tiles were made with various fillers (with the same content of the filler - travertine and marble crumbs) 160x160x40 in size, with the addition of a plasticizer. Three specimens were made for each test. The tests were carried out on dried samples to constant weight. Prior to this, the samples hardened in natural conditions. The results of determining the thermophysical characteristics of the finishing slab based on composite gypsum are shown in table-1.

Table1. Thermophysical characteristics of a finishing slab based on composite gypsum

| No | Name of fillers | Type of filler | Density g/sm ³ | Coefficient of thermal conductivity, vt/mk | Specific heat, kj/ktk |
|----|------------------|---|------------------------------|---|--------------------------|
| 1 | Travertine crumb |  | 2.5 | 0.068 | 0.59 |
| 2 | crumb of marble |  | 2.6 | 0.078 | 0.71 |

As can be seen from Table-1, the low thermal conductivity of slabs using

travertine chips. Based on the data obtained, it should be noted that the thermal conductivity of the material depends on the density of the fillers. In addition, the thermophysical properties of gypsum depend on the filler content in the material.

The most important physical and technical indicators of travertine are determined:

- material density - 2.5 g/cm³;
- degree of porosity about 8.1%;
- strength properties in compression within 41 MPa;
- water absorption - 1.8%
- the hardness of the material on the Mohs scale is 4 units;
- softening factor – 0.80.

Studies to determine the biostability of samples showed that the developed gypsum composite material belongs to the group of biostable materials and is not subject to biodegradation. Tests for fire resistance of heat-insulating gypsum with travertine fillers were carried out on sample plates with a rib size of 150x60x10mm. The flammability was assessed by the mass loss of the sample after more than five minutes of exposure to fire. The results showed that the developed heat-insulating composite gypsum based on waste from the production of travertine boards belongs to the group of hardly combustible materials. Conclusions. The results of the studies showed that the use of travertine slab production waste (instead of artificial porous fillers - relatively expensive) in gypsum to increase thermal insulation in energy-efficient construction made it possible to obtain a heat-insulating composite material with rather low thermal conductivity and heat capacity.

Must be noted:

- The thermal conductivity of the material depends on the density and content of the filler. It is determined that the most optimal is the content of the filler up to 50% of the total mass.

- Based on the test results, it can be concluded that the new gypsum composite building boards are bio-resistant and slow-burning.

- When adding SJ-3 additive to the composition of a new gypsum composite building material, the plasticity and wettability of the material increased, the amount of mixing water for gypsum hydration decreased, and the water resistance of gypsum increased.

- On the basis of gypsum composite building materials with the addition of pigments, it is possible to produce artificial finishing boards of different colors.

- The use of industrial waste is efficient both from an economic point of view (allowing to reduce the cost of heat-insulating gypsum) and from an environmental point of view.

Finishing slabs based on composite gypsum are recommended for use in energy-

efficient construction in the form of slabs for finishing the internal walls of buildings, in order to provide thermal insulation inside the room, as well as when treating with waterproof compositions and for external facade decoration.

References:

1. Arifjanov, A., Akmalov, S., Akhmedov, I., & Atakulov, D. (2019, December). Evaluation of deformation procedure in waterbed of rivers. In *IOP Conference Series: Earth and Environmental Science* (Vol. 403, No. 1, p. 012155). IOP Publishing.
2. Ахмедов, И. Ф., Ортиқов, И. А., & Умаров, И. И. (2021). Дарё ўзанидаги деформацион жараёнларни баҳолашда инновацион технологиялар [Innovative technologies in the assessment of deformation processes in the riverbed]. *Фарғона политехника институти илмий-техника журнали.*– *Фарғона*, 25(1), 139-142.
3. Abduraimova, D., Rakhmonov, R., Akhmedov, I., Xoshimov, S., & Eshmatova, B. (2022, June). Efficiency of use of resource-saving technology in reducing irrigation erosion. In *AIP Conference Proceedings* (Vol. 2432, No. 1). AIP Publishing.
4. Арифжанов, А. М., Самиев, Л. Н., Абдураимова, Д. А., & Ахмедов, И. Г. (2013). Ирригационное значение речных наносов. *Актуальные проблемы гуманитарных и естественных наук*, (6), 357-360.
5. Tadjiboyev, S., Qurbonov, X., Akhmedov, I., Voxidova, U., Babajanov, F., Tursunova, E., & Xodjakulova, D. (2022, June). Selection of electric motors power for lifting a flat survey in hydraulic structures. In *AIP Conference Proceedings* (Vol. 2432, No. 1). AIP Publishing.
6. Akhmedov, I., Khamidov, A., Kholmirezayev, S., Umarov, I., Dedakhanov, F., & Hakimov, S. (2022). ASSESSMENT OF THE EFFECT OF SEDIBLES FROM SOKHSOY RIVER TO KOKAND HYDROELECTRIC STATION. *Science and innovation*, 1(A8), 1086-1092.
7. Kholmirezayev, S., Akhmedov, I., Khamidov, A., Umarov, I., Dedakhanov, F., & Hakimov, S. (2022). USE OF SULFUR CONCRETE IN REINFORCED CONCRETE STRUCTURES. *Science and innovation*, 1(A8), 985-990.
8. Arifjanov, A. (2021). Innovative technologies in the assessment of accumulation and erosion processes in the channels. *Turkish Journal of Computer and Mathematics Education (TURCOMAT)*, 12(4), 110-114.
9. Нуриддинов, А. О., Ахмедов, И., & Хамидов, А. И. (2022). АВТОМОБИЛ ЙЎЛЛАРИНИ ҚУРИЛИШИДА ИННОВАЦИЯЛАР. *Academic research in educational sciences*, 3(TSTU Conference 1), 211-215.
10. Хамидов, А. И., Ахмедов, И. Г., Мухитдинов, М. Б., & Кузибаев, Ш. (2022). Применение теплоизоляционного композиционного гипса для энергоэффективного строительства.

11. Хамидов, А. И., Ахмедов, И., & Кузибаев, Ш. (2020). ТЕПЛОИЗОЛЯЦИОННЫЕ МАТЕРИАЛЫ НА ОСНОВЕ ГИПСА И ОТХОДОВ СЕЛЬСКОГО ХОЗЯЙСТВА.
12. Fathulloev, A. M., Eshev, S. S., Samiev, L. N., Ahmedov, I. G., Jumaboyev, X., & Arifjanov, S. (2019). Boglanmagan gruntlardan tashkil topgan uzanlarda yuvilmaslik tezliklarini aniklash [To the determination of non-effective speed in the beds containing from unconnected soils]. *Journal "Irrigatsiya va melioratsiya"*. Tashkent, 27-32.
13. Ahmedov, I., Muxitdinov, M., Umarov, I., & Ibragimova, Z. (2020). Assessment of the effect of sedibles from sokhsoy river to kokand hydroelectric power station. *InterConf*.
14. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Хакимов, С., & Умаров, И. (2022). ВЛИЯНИЯ ТЕМПЕРАТУРНО-ВЛАЖНОСТНОГО РЕЖИМА НА ВОДОПОГЛОЩЕНИЕ ЛЕГКИХ БЕТОНОВ НА ПОРЫСТЫХ ЗАПОЛНИТЕЛЯХ. *Journal of new century innovations*, 19(8), 192-201.
15. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Хакимов, С., & Умаров, И. (2022). ЖАҲОНДА КИЧИК ГЭСЛАРНИ РИВОЖЛАНТИРИШНИНГ ҲОЗИРГИ ЗАМОН АНЪАНАЛАРИ. *Journal of new century innovations*, 19(8), 110-119.
16. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Умаров, И., & Хакимов, С. (2022). ПЕРСПЕКТИВЫ РАЗВИТИЯ ЖЕЛЕЗОБЕТОННЫХ КОНСТРУКЦИЙ В УЗБЕКИСТАНЕ. *Journal of new century innovations*, 19(6), 60-70.
17. Холмирзаев, С., Ахмедов, И., Адхамжон, Ҳ., Ризаев, Б., Умаров, И., & Хакимов, С. (2022). ҚУРУҚ ИССИҚ ИҚЛИМЛИ ШАРОИТЛАРДА ҚУРИЛГАН ВА ФОЙДАЛАНАЁТИЛГАН БЕТОНЛИ ВА ТЕМИР БЕТОН КОНСТРУКЦИЯЛАРНИ ҲОЛАТИ. *Journal of new century innovations*, 19(7), 180-190.
18. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Умаров, И., & Хакимов, С. (2022). ДЕФОРМАТИВНОСТЬ ЖЕЛЕЗОБЕТОННЫХ КОЛОНН ИЗ ТЯЖЕЛОГО БЕТОНА В УСЛОВИЯХ СУХОГО ЖАРКОГО КЛИМАТА. *Journal of new century innovations*, 19(6), 171-182.
19. Bakhodir, R., Islombek, A., Adhamjon, K., Sattor, K., Isroiljon, U., & Sodikjon, K. (2022). CALCULATION OF DEFORMATION CHANGES OF CENTRALLY COMPRESSED REINFORCED CONCRETE COLUMNS IN DRY HOT CLIMATIC CONDITIONS. *Journal of new century innovations*, 19(6), 162-170.
20. Хамидов, А., Ахмедов, И., Холмирзаев, С., Ризаев, Б., Умаров, И., & Хакимов, С. (2022). ИССЛЕДОВАНИЕ СВОЙСТВ БЕТОНОВ НА ОСНОВЕ

НЕГОРЮЧИХ ЩЕЛОЧНЫХ ВЯЖУЩИХ КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 123-134.

21. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Умаров, И., & Хакимов, С. (2022). АНАЛИЗ ВЛИЯНИЯ СУХОГО ЖАРКОГО КЛИМАТА НА РАБОТУ ЖЕЛЕЗОБЕТОННЫХ ЭЛЕМЕНТОВ. *Journal of new century innovations*, 19(6), 39-48.
22. Bahodir, R., Islombek, A., Adhamjon, H., Sattor, K., Isroiljon, U., & Sodiqjon, H. (2022). INFLUENCE OF AGGRESSIVE MEDIA ON THE DURABILITY OF LIGHTWEIGHT CONCRETE. *Journal of new century innovations*, 19(6), 318-327.
23. Arifjanov, A., Atakulov, D., Akhmedov, I., & Hoshimov, A. (2022, December). Modern technologies in the study of processes in channels. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1112, No. 1, p. 012137). IOP Publishing.
24. Arifjanov, A., Akmalov, S., Akhmedov, I., & Atakulov, D. Evaluation of deformation procedure in waterbed of rivers. (2019) *IOP Conference Series: Earth and Environmental Science*, 403 (1). DOI: <https://doi.org/10.1088/1755-1315/403/1/012155>.
25. G'ulomjonovich, A. I., Abdurahmonovich, O. I., & Isoqjon o'g'li, U. I. (2021). EFFECTS OF WATER FLOW ON THE EROSION PROCESSES IN THE CHANNEL OF GIS TECHNOLOGY. *Journal of Advanced Scientific Research* (ISSN: 0976-9595), 1(1).
26. Eshev, S. S., Fatxullaev, A. M., Samiev, L. N., Axmedov, I. G., Jumaboev, X., & Arifjanov, S. (2019). Determination of leaching rates in unconnected soils. *Irrigation and reclamation, Tashkent*, 27-30.
27. Fatkhulloev, A. M., Samiev, L. N., Axmedov, I. G., & Jumaboev, X. (2019). To the determination of non-effective speed in the beds containing from unconnected soils. *Journal of Irrigation and Melioration, Tashkent*, 1(15), 27-32.
28. Arifjanov, A. Sh. Akmalov, I. Akhmedov, and D. Atakulov. " . In *Evaluation of deformation procedure in waterbed of rivers.* " In *IOP Conference Series: Earth and Environmental Science* (Vol. 403, No. 1, p. 012155).
29. Холмирзаев, С., Ахмедов, И., Адхамжон, Х., Ризаев, Б., Феруза, Қ., & Умаров, И. (2022). МОДИФИКАЦИЯ ЛАНГАН СЕРОБЕТОННИНГ ФИЗИК-МЕХАНИК ХОССАЛАРИНИ ТАДҚИҚ ҚИЛИШ. *Journal of new century innovations*, 19(6), 240-247.
30. Умаров, И. И. Ў., & Атакулов, Д. Э. Ў. (2022). Дарё ўзандаги деформацион жараёнларни баҳолашда инновацион технологиялар. *Механика и технология*, (Спецвыпуск 1), 219-225.

31. Eshev, S. S., Fatxullaev, A. M., Samiev, L. N., Axmedov, I. G., Jumaboev, X., & Arifjanov, S. (2019). Irrigation and reclamation. *Journal.*, 1(15), 27-30.
32. Холмирзаев, С., Ахмедов, И., Адхамжон, Х., Ризаев, Б., Жалолов, З., & Умаров, И. (2022). ЎЗБЕКИСТОН РЕСПУБЛИКАСИ ХУДУДИДА МОНОЛИТ ТЕМИР БЕТОН КОНСТРУКЦИЯЛАРИНИ ЎРНИ. *Journal of new century innovations*, 19(6), 265-276.
33. Холмирзаев, С., Ахмедов, И., Адхамжон, Х., Ризаев, Б., Фаррух, Д., & Умаров, И. (2022). ҚУРИЛИШ ТАЪЛИМ ЙЎНАЛИШЛАРИ УЧУН КАДРЛАР ТАЙЁРЛАШДА ФАН, ТАЪЛИМ ВА ИШЛАБ ЧИҚАРИШ ИНТЕГРАЦИЯСИНИНГ РОЛИ. *Journal of new century innovations*, 19(6), 256-264.
34. Ризаев, Б., Ахмедов, И., Адхамжон, Х., Холмирзаев, С., Жалолов, З., & Умаров, И. (2022). ЗАМОНАВИЙ ҚУРИЛИШ МАТЕРИАЛЛАРИ ФАНИНИ ЎҚИТИШДАГИ ИЛҒОР ТАЪЛИМ МЕТОДЛАРИ. *Journal of new century innovations*, 19(7), 135-146.
35. Холмирзаев, С., Ахмедов, И., Адхамжон, Х., Ризаев, Б., Жалолов, З., & Умаров, И. (2022). БИНОЛАРНИНГ ТЕМИР БЕТОН КОНСТРУКЦИЯЛАРИНИ ИШОНЧЛИЛИК НАЗАРИЯСИ АСОСИДА ҲИСОБЛАШ. *Journal of new century innovations*, 19(6), 287-297.
36. Bahodir, R., Islombek, A., Adhamjon, K., Sattor, K., Farrux, D., & Isroiljon, U. (2022). EFFECTIVENESS OF USING ELEMENTS OF NANOTECHNOLOGY IN CONSTRUCTION MATERIALS SCIENCE. *Journal of new century innovations*, 19(8), 163-172.
37. Холмирзаев, С., Ахмедов, И., Адхамжон, Х., Ризаев, Б., Жалолов, З., & Умаров, И. (2022). БИНО ВА ИНШОТЛАР ЗИЛЗИЛАБАРДОШЛИГИНИНГ НАЗАРИЙ АСОСЛАРИ. *Journal of new century innovations*, 19(8), 120-130.
38. Bahodir, R., Islombek, A., Adhamjon, K., Sattor, K., Feruza, Q., & Isroiljon, U. (2022). NEW INNOVATIVE IDEAS IN THE FIELD OF PRODUCTION OF REINFORCED CONCRETE STRUCTURES. *Journal of new century innovations*, 19(8), 153-162.
39. Bahodir, R., Islombek, A., Adhamjon, K., Sattor, K., Zayniddin, J., & Isroiljon, U. (2022). INFLUENCE OF THE TEMPERATURE AND HUMIDITY REGIME ON THE WATER ABSORPTION OF LIGHT-WEIGHT CONCRETE ON POROUS AGGREGATES. *Journal of new century innovations*, 19(8), 143-152.
40. Bahodir, R., Islombek, A., Adhamjon, K., Sattor, K., Zayniddin, J., & Isroiljon, U. (2022). CALCULATION OF ENERGY CHARACTERISTICS OF SOLAR HEATING SYSTEM. *Journal of new century innovations*, 19(8), 56-65.

41. Ризаев, Б., Ахмедов, И., Холмирзаев, С., Хамидов, А., Кодирова, Ф., & Умаров, И. (2022). ОБЩИЕ СВЕДЕНИЯ О ПРИРОДНОМ КЛИМАТЕ РАЙОНОВ С СУХИМ ЖАРКИМ КЛИМАТОМ. *Journal of new century innovations*, 19(6), 298-306.
42. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Жалалов, З., & Умаров, И. (2022). РАСЧЕТ НА ВХОДНЫЕ И ФОРМАЛЬНЫЕ ДЕФОРМАЦИИ БЕТОНА В ЕСТЕСТВЕННЫХ УСЛОВИЯХ СУХОГО ЖАРКОГО КЛИМАТА. *Journal of new century innovations*, 19(6), 183-193.
43. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Фаррух, Д., & Умаров, И. (2022). ОБЩИЕ СВЕДЕНИЯ О ВЕТРЕ И ПЫЛИ В ЖАРКОМ СУХОМ КЛИМАТЕ. *Journal of new century innovations*, 19(6), 307-317.
44. Ахмедов, И., Ризаев, Б., Адхамжон, Х., Холмирзаев, С., Феруза, Қ., & Умаров, И. (2022). ТУРАР-ЖОЙ БИНОЛАРИ ҚУРИЛИШИДА МОНОЛИТ ТЕМИР БЕТОНДАН ФОЙДАЛАНИШ САМАРАДОРЛИГИ. *Journal of new century innovations*, 19(6), 215-223.
45. Ahmedov, I., Bahodir, R., Adhamjon, H., Sattor, K., Feruza, Q., & Isroiljan, U. (2022). DISTRIBUTION OF TEMPERATURE AND HUMIDITY IN CONCRETE OVER THE CROSS SECTION OF COLUMNS IN A DRY HOT CLIMATE. *Journal of new century innovations*, 19(7), 123-134.
46. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Феруза, Қ., & Умаров, И. (2022). СОВРЕМЕННЫЕ ТРАДИЦИИ РАЗВИТИЯ МАЛОЙ ГИДРОЭНЕРГЕТИКИ В МИРЕ. *Journal of new century innovations*, 19(8), 90-99.
47. Bahodir, R., Islombek, A., Adhamjon, K., Sattor, K., Zayniddin, J., & Isroiljon, U. (2022). MODERN TRADITIONS OF THE DEVELOPMENT OF SMALL HYDROPOWER IN THE WORLD. *Journal of new century innovations*, 19(8), 100-109.
48. Bahodir, R., Islombek, A., Adxamjon, X., Sattor, X., Feruza, Q., & Isroiljon, U. (2022). TEMIR-BETON KONSTRUKTSIYALAR ISHLAB CHIQRISH SOHASIDAGI YANGI INNOVATSION G'UYALAR. *Journal of new century innovations*, 19(7), 158-167.
49. Bahodir, R., Islombek, A., Adhamjon, H., Sattor, K., Isroiljon, U., & Farruh, D. (2022). CONDITION OF CONCRETE AND REINFORCED CONCRETE STRUCTURES BUILT AND USED IN A DRY HOT CLIMATE. *Journal of new century innovations*, 19(7), 147-157.
50. Холмирзаев, С., Ахмедов, И., Ризаев, Б., Хамидов, А., Кодирова, Ф., & Умаров, И. (2022). ИССЛЕДОВАНИЕ ФИЗИКО-МЕХАНИЧЕСКИХ СВОЙСТВ МОДИФИЦИРОВАННОГО СЕРОБЕТОНА КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 154-161.

51. Хамидов, А., Ахмедов, И., Холмирзаев, С., Ризаев, Б., Умаров, И., & Фаррух, Д. (2022). АНАЛИЗ СПОСОБОВ ПЕРЕРАБОТКИ СЫРЬЯ SERA И ПОЛУЧЕНИЯ СЕРОБЕТОНА КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 93-102.
52. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Феруза, Қ., & Умаров, И. (2022). ИССЛЕДОВАНИЕ ЗОЛОШЛАКОВЫХ СМЕСИ ДЛЯ ПРОИЗВОДСТВА СТРОИТЕЛЬНЫХ МАТЕРИАЛОВ КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 103-112.
53. Хамидов, А., Ахмедов, И., Ризаев, Б., Холмирзаев, С., Жалалов, З., Умаров, И., & Шаропов, Б. (2022). ТЕПЛОИЗОЛЯЦИОННЫЕ МАТЕРИАЛЫ НА ОСНОВЕ ГИПСА И СЕЛЬСКОХОЗЯЙСТВЕННЫХ ОТХОДОВ. КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 135-144.
54. Ахмедов, И., Хамидов, А., Холмирзаев, С., Ризаев, Б., Умаров, И., & Фаррух, Д. (2022). ОЦЕНКА ВЛИЯНИЯ СЕДИБЛЕИ РЕКИ СОХСОЙ НА КОКАНДСКУЮ ГЭС. *Journal of new century innovations*, 19(6), 145-153.
55. Холмирзаев, С., Ахмедов, И., Хамидов, А., Кодирова, Ф., Умаров, И., & Фаррух, Д. (2022). РАСЧЕТ ЖЕЛЕЗОБЕТОННЫХ КОНСТРУКЦИЙ ЗДАНИЙ НА ОСНОВЕ ТЕОРИИ НАДЕЖНОСТИ. *Journal of new century innovations*, 19(6), 29-38.
56. Хамидов, А., Ахмедов, И., Ризаев, Б., Холмирзаев, С., Жалалов, З., & Умаров, И. (2022). ҚУРУҚ ИССИҚ ИҚЛИМИ ХУДУДЛАРНИНГ ТАБИЙ ИҚЛИМИ ҲАҚИДА УМУМИЙ МАЪЛУМОТ. *Journal of new century innovations*, 19(6), 194-203.
57. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Фаррух, Д., & Умаров, И. (2022). БИНОЛАРНИ ИСИТИШДА ҚУЁШ ЭНЕРГИЯСИДАН ФОЙДАЛАНИБ ЭНЕРГИЯ САМАРАДОРЛИКНИ ОШИРИШ ТАДБИРЛАРИ. *Journal of new century innovations*, 19(8), 78-89.
58. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Фаррух, Д., & Умаров, И. (2022). ҚУЁШЛИ ИСИТИШ ТИЗИМИНИНГ ЭНЕРГЕТИК ХАРАКТЕРИСТИКАЛАРИ ХИСОБИ. *Journal of new century innovations*, 19(8), 25-36.
59. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Умаров, И., & Фаррух, Д. (2022). ЭФФЕКТИВНОСТЬ ИСПОЛЬЗОВАНИЯ МОНОЛИТНОГО ЖЕЛЕЗОБЕТОНА ПРИ СТРОИТЕЛЬСТВЕ ЖИЛЫЕ ДОМА. *Journal of new century innovations*, 19(6), 71-80.
60. Bahodir, R., Islombek, A., Sattor, X., Adxamjon, X., Feruza, Q., & Isroiljon, U. (2022). QURILISH MATERIALSHUNOSLIGIDA NANOTEKNOLOGIYA ELEMENTLARIDAN FOYDALANISH SAMARADORLIGI. *Journal of new century innovations*, 19(7), 168-179.

61. Холмирзаев, С., Ахмедов, И., Хамидов, А., Ризаев, Б., Жалалов, З., & Умаров, И. (2022). ПРИМЕНЕНИЕ МОНОЛИТНЫХ ЖЕЛЕЗОБЕТОННЫХ КОНСТРУКЦИЙ НА ТЕРРИТОРИИ РЕСПУБЛИКИ УЗБЕКИСТАН КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 81-92.
62. Холмирзаев, С., Ахмедов, И., Ризаев, Б., Хамидов, А., Фаррух, Д., & Умаров, И. (2022). ПРИМЕНЕНИЕ СЕРОБЕТОНА В ЖЕЛЕЗОБЕТОННЫХ КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 3-11.
63. Умаров, И. И. Ў. (2022). Тоғ олди дарёлар ўзанидаги жараёнларни баҳолашда табиий дала тадқиқотлари таҳлили. *Строительство и образование*, (2), 109-113.
64. Kholmirzayev, S., Akhmedov, I., Khamidov, A., Yusupov, S., Umarov, I., & Nakimov, S. (2022). ANALYSIS OF THE EFFECT OF DRY HOT CLIMATE ON THE WORK OF REINFORCED CONCRETE ELEMENTS. *Science and innovation*, 1(A8), 1033-1039.
65. Akhmedov, I., Khamidov, A., Kholmirzayev, S., Yusupov, S., & Umarov, I. (2022). Improving river sediment distribution calculation in mountain rivers. *Science and innovation*, 1(A8), 1014-1019.
66. Khamidov, A., Akhmedov, I., Kholmirzayev, S., Jalalov, Z., Yusupov, S., & Umarov, I. (2022). EFFECTIVENESS OF MODERN METHODS OF TESTING BUILDING STRUCTURES. *Science and innovation*, 1(A8), 1046-1051.
67. Kholmirzayev, S., Akhmedov, I., Khamidov, A., Jalalov, Z., Yusupov, S., & Umarov, I. (2022). THE ROLE OF THE INTEGRATION OF SCIENCE, EDUCATION AND PRODUCTION IN THE TRAINING OF PERSONNEL FOR CONSTRUCTION EDUCATIONAL AREAS. *Science and innovation*, 1(A8), 1040-1045.
68. Хамидов, А. И., Ахмедов, И., Юсупов, Ш., & Кузибаев, Ш. (2021). Использование теплоизоляционного композиционного гипса в энергоэффективном строительстве.
69. Холмирзаев, С., Ахмедов, И., Адхамжон, Ҳ., Ризаев, Б., Юсупов, Ш., & Умаров, И. (2022). СЕРА ХОМ АШЁСИНИ ҚАЙТА ИШЛАШ ВА СЕРОБЕТОН ТАЙЁРЛАШ УСУЛЛАРИНИНГ ТАҲЛИЛИ. *Journal of new century innovations*, 19(6), 248-255.
70. Холмирзаев, С., Ахмедов, И., Адхамжон, Ҳ., Ризаев, Б., Юсупов, Ш., & Умаров, И. (2022). ТЕМИР БЕТОН ЭЛЕМЕНТЛАРИНИНГ ДАРЗБАРДОШЛИГИГА МАРКАЗИЙ ОСИЁ ИҚЛИМИНИНГ ТАЪСИРИ. *Journal of new century innovations*, 19(6), 232-239.
71. Холмирзаев, С., Ахмедов, И., Адхамжон, Ҳ., Ризаев, Б., Юсупов, Ш., & Умаров, И. (2022). ТУРАР-ЖОЙ БИНОЛАРИ ҚУРИЛИШИДА МОНОЛИТ

ТЕМИР БЕТОНДАН ФОЙДАЛАНИШ САМАРАДОРЛИГИ. *Journal of new century innovations*, 19(6), 277-286.

72. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Юсупов, Ш., & Умаров, И. (2022). МЕРЫ ПО ПОВЫШЕНИЮ ЭНЕРГОЭФФЕКТИВНОСТИ ИСПОЛЬЗОВАНИЯ СОЛНЕЧНОЙ ЭНЕРГИИ В ОТОПЛЕНИИ ЗДАНИЙ. *Journal of new century innovations*, 19(8), 66-77.
73. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Юсупов, Ш., & Умаров, И. (2022). ҚУЁШ ЭНЕРГИЯСИДАН ФОЙДАЛАНИБ БИНОЛАРНИ ЭНЕРГИЯ САМАРАДОРЛИГИНИ ОШИРИШ ТАДБИРЛАРИ ХАКИДА. *Journal of new century innovations*, 19(8), 173-186.
74. Ahmedov, I., Bahodir, R., Adhamjon, H., Sattor, K., Shavkat, Y., & Isroiljan, U. (2022). PHYSICAL AND MECHANICAL PROPERTIES OF CONCRETE UNDER CONDITIONS OF DRY HOT CLIMATE. *Journal of new century innovations*, 19(8), 131-142.
75. Холмирзаев, С., Ахмедов, И., Ризаев, Б., Юсупов, Ш., Умаров, И., & Фаррух, Д. (2022). РОЛЬ ИНТЕГРАЦИИ НАУКИ, ОБРАЗОВАНИЯ И РАЗВИТИЯ В ПОДГОТОВКЕ КАДРОВ ДЛЯ СТРОИТЕЛЬСТВА. *Journal of new century innovations*, 19(6), 12-19.
76. Хамидов, А., Ахмедов, И., Холмирзаев, С., Ризаев, Б., Юсупов, Ш., & Умаров, И. (2022). ЭФФЕКТИВНОСТЬ СОВРЕМЕННЫХ МЕТОДОВ ИСПЫТАНИЙ СТРОИТЕЛЬНЫХ КОНСТРУКЦИЙ. *Journal of new century innovations*, 19(6), 57-59.
77. Холмирзаев, С., Ахмедов, И., Ризаев, Б., Хамидов, А., & Юсупов, Ш. (2022). РОЛЬ ИНТЕГРАЦИИ НАУКИ, ОБРАЗОВАНИЯ И ПРОИЗВОДСТВА В ПОДГОТОВКЕ КАДРОВ ДЛЯ СТРОИТЕЛЬНЫХ ОБРАЗОВАТЕЛЬНЫХ НАПРАВЛЕНИЙ. *Journal of new century innovations*, 19(6), 49-57.
78. Ахмедов, И., Ризаев, Б., Хамидов, А., Холмирзаев, С., Юсупов, Ш., & Умаров, И. (2022). ПРИМЕНЕНИЕ ТЕПЛОИЗОЛЯЦИОННОГО КОМПОЗИТА ГИПСОВОГО ДЛЯ ЭНЕРГОЭФФЕКТИВНОГО СТРОИТЕЛЬСТВА КОНСТРУКЦИЯХ. *Journal of new century innovations*, 19(6), 113-122.
79. Ахмедов, И., Хамидов, А., Холмирзаев, С., Юсупов, Ш., Кодирова, Ф., & Умаров, И. (2022). СОВЕРШЕНСТВОВАНИЕ РАСЧЕТА РАСПРЕДЕЛЕНИЯ НАСАДОВ В ГОРНЫХ РЕКАХ. *Journal of new century innovations*, 19(6), 20-28.
80. Sattor, X., Islombek, A., Adhamjon, H., Bahodir, R., Shavkat, Y., & Isroiljon, U. (2022). TEMIR-BETON KONSTRUKSIYALARIDA SERABETONDAN FOYDALANISH. *Journal of new century innovations*, 19(6), 224-231.
81. Ризаев, Б., Ахмедов, И., Хамидов, А., Холмирзаев, С., Юсупов, Ш., & Умаров, И. (2022). РАСЧЕТ ЭНЕРГЕТИЧЕСКИХ ХАРАКТЕРИСТИК СИСТЕМЫ

- СОЛНЕЧНОГО ОТОПЛЕНИЯ. *Journal of new century innovations*, 19(8), 45-55.
82. Хакимов, С. (2022). АКТИВ ВА ПАССИВ СЕЙСМИК УСУЛЛАРИ ҲАМДА УЛАРНИНГ АСОСИЙ ВАЗИФАЛАРИ. *Journal of Integrated Education and Research*, 1(2), 30-36.
83. Хакимов, С. (2023). ПОВТОРНОЕ ИСПОЛЬЗОВАНИЕ ВОДЫ В АВТОМОЙКАХ ПУТИ МАРШРУТИЗАЦИИ. *ТЕСНика*, (1 (10)), 1-5.
84. Хакимов, С. (2022). ТОННЕЛЛАР ҚАЗИШНИНГ САМАРАЛИ УСУЛЛАРИ ВА УЛАРНИ КАМЧИЛИКЛАРИ. *Journal of Advanced Research and Stability*, 2(9), 219-222.
85. Rasuljon o'gli, K. S. (2023). The Importance of Didactics in Pedagogy and Stages of The Didactic Process. *Journal of Innovation in Education and Social Research*, 1(4), 1-6.
86. Khamidov, A., & Khakimov, S. (2023). MOISTURE LOSS FROM FRESHLY LAID CONCRETE DEPENDING ON THE TEMPERATURE AND HUMIDITY OF THE ENVIRONMENT. *Science and innovation*, 2(A4), 274-279.
87. Khamidov, A. I., & Khakimov, S. (2023). Study of the Properties of Concrete Based on Non-Fired Alkaline Binders. *European Journal of Geography, Regional Planning and Development*, 1(1), 33-39.